# MAA CHHINNMASTIKA CEMENT AND ISPAT PRIVATE LIMITED

Registered Office & Works:

At- Hehal, Post - Barkakana - 829103, Dist.- Ramgarh (Jharkhand)

CIN:U26941JH2004PTC010665 ramgarh jh@rediffmail.com

cementispat@rediffmail.com ramgarh\_jh@rediffmail.com

0/0

MCCIPL/56/2021-22

15/11/2021

To,

The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest & Climate Change, Integrated Regional Office (Eastern Central Zone), Bungalow No. A-2, Shyamli colony,

Ranchi- 834002 (Jharkhand)

Sub:-Regarding compliance for the period April, 2021 to September, 2021 to the conditions of Environment Clearance for Expansion of Sponge Iron Plant to mini Steel plant for production of 67,500 TPA rolled product by installation of 2X12 Ton induction furnace with billet caster, Iron ore crushing & beneficiation and 15 MW Captive Power Plant.

Ref: Environment Clearance Letter No.F.NO.J-11011/215/2016-IA.II(I) dated 07.08.2019.

Dear Sir,

In reference to the above subject matter & reference letter, the point wise Half Yearly compliance status for the period of April, 2021 to September, 2021 is being submitted for your kind perusal please.

Hope you will find this in order and oblige.

Thanking you.

Yours faithfully,

For Maa Chhinnmastika Cement & Ispat Pvt. Ltd.

Sontosa Kumar Genty

#### Director

Enclosures: Compliance status Report.

Cc to:-

- 1) The Zonal office In-charge, Central Pollution Control Board, Southern Conclave, Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata 700 107 (W. B.).
- 2) The Member Secretary, Jharkhand State Pollution Control Board, T.A. Division Building (Ground Floor), HEC Campus, P.O. Dhurwa, Ranchi 834004, Jharkhand.
- 3) Regional Officer, Regional Office, State Pollution Control Board, Hazaribagh,



# Environment Clearance Compliance Status Period from April-2021 to September-2021

Name of Project:	Maa Chhinnmastika Cement & Ispat Pvt. Ltd.		
Capacity:	Expansion of Sponge Iron Plant to mini Steel plant for		
	production of 67,500 TPA rolled product by installation of		
	2X12 Ton induction furnace with billet caster, Iron ore crushing		
	& beneficiation and 15 MW Captive Power Plant.		
Location:	Village - Hehal, P.O - Barka kana, Distt Ramgarh,		
	Jharkhand.		
EC letter No.	F. NO. J-11011/215/2016-IA.II(I) Dated- 07/08/2019.		

# A. SPECIFIC CONDITION:

Sl.No	CONDITION	COMPLIANCE
1.	Particulate matter in the Stack emissions shall not exceed 30 mg/Nm3.	Noted for expansion project. Exiting sponge iron plant test monitoring
	G.	report enclosed as <b>Annexure – 1.</b>
2.	Water for its plant operations shall be sourced by the project proponent from Damodar River, and no ground water shall be abstracted by them.	Being complied.
3.	Project proponent shall undertake rain water harvesting and recharge, and the quantum of water so channelized shall be more than the water consumption in the project area.	Noted, will be complied in due course.
4.	The CER activities shall be implemented within a period of 3 years utilizing the earmarked funds of Rs. 1.45 crores.	Noted, will be complied in due course.

# B. GENERAL CONDITION:

S1.No	CONDITION	COMPLIANCE
I	Statutory compliance:	
1.	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollutions) Act, 1981 and the Water (Prevention & Control Pollution) Act, 1974 from the concerned State Pollution Control Boards / Committee.	Being complied.
2.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	Agree with.  Water drawl agreement executed with DVC for drawl of water from Damodar River.
3.	The project proponent shall obtain authorization under the Hazardous and other Waster Management Rules, 2016 as amended from time to time.	Being complied.
II.	Air Quality monitoring and preservation:	
1.	The project proponent shall install 24x7 continuous emission monitoring system at	Being complied for existing coal based Sponge Iron plant online

	process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305(E) dated 7th December 2015(Thermal Power Plants) as amended from time to time) and connected to SPCB AND CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	monitoring systems are installed for monitoring of PM & SO2 emission of stack and it is connected online with Central Pollution Control Board and Jharkhand State Pollution Control Board URL server.  Test monitoring report is enclosed as <b>Annexure – 1</b> .  Noted for compliance in expansion project.
2.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Being complied for existing coal based Sponge Iron plant.  Test monitoring report is enclosed as <b>Annexure – 1</b> .  Noted for compliance in expansion project.
3.	The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOX in reference to SO2 and NOX emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.	As per direction of Jharkhand State Pollution Control Board vide letter no B-19 issued on 28/02/2019, we have installed Continuous Ambient Air Quality Monitoring Station for PM 10 parameter and it is connected online with Jharkhand State Pollution Control Board URL server.  JSPCB submitted copy regarding installation with commissioning of PM10 analyzer is enclosed as Annexure -2.  Further we will comply in expansion project in due course.
4.	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/fugitive emissions to Regional Office of MoEF & CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.	Monthly summary report of continuous stack emission and
5.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.	Being complied for existing coal

6.	The project proponent shall provide leakage	various places within plant premises to control fugitive emission & stack emission. Unit has already installed bag filter at raw material handling area and all conveyor belts are covered. Noted for compliance in expansion project.  Being complied for existing coal
	detection and mechanized bag cleaning facilities for better maintenance of bags.	based Sponge Iron plant. Noted for compliance in expansion project.
7.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clan plant roads, shop floors roofs, regularly.	Adequate arrangement of cleaning and sprinkling of water has been made. Noted, will be complied in due course in expansion project.
8.	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting / agglomeration.	Noted for expansion project, will be complied in due course.
9.	The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Being complied for existing coal based Sponge Iron plant. Noted for compliance in expansion project.
10.	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	For existing plant, units has provided coved storage shed have been provided for all raw materials like coal, Iron ore etc. Noted, will be complied in due course in expansion project.
11.	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	Noted, will be complied in due course.
12	Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.	Noted, will be complied in due course.
III.	Water quality monitoring and preservation:	
1.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment(Protection)Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305(E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL	Being complied in existing unit. To fulfill ZLD compliance, unit has installed flow meter with web camera & its data has been uploaded on CPCB & JSPCB URL server. Noted, will be complied in due course.

	accredited laboratories.	
2.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment(Protections) Act, 1986 and NABL accredited laboratories.	Noted, will be complied in due course.
3.	The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF & CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.	Noted, will be complied in due course.
4.	Adhere to 'Zero Liquid Discharge'	Agree with.
5.	Sewage Treatment Plant shall be provided for treatment of domestic waste water to meet the prescribed standards.	Noted, will be complied in due course.
6.	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277(E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.	Noted, will be complied in due course.
7.	Garland drains and collection pits shall be provided for each stock pile to arrest the runoff in the event of heavy rains and to check the water pollution due to surface run off	Noted, will be complied in due course.
8.	The project proponent shall practice rainwater harvesting to maximum possible extent.	Noted, will be complied in due course.
9.	The project proponent shall made efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Being complied for existing plant. Noted, will be complied in due course.
IV.	Noise monitoring and prevention:	
1.	Noise level survey shall be carried as per the prescribed guidelines and report in this regards shall be submitted to Regional Officer of the Ministry as a part of six monthly compliance report.	Being complied for existing coal based Sponge Iron plant. Noted for compliance in expansion project.
2.	The ambient noise levels should conform to the standards proscribed under E(P) A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Being complied for existing coal based Sponge Iron plant.  Noted for compliance in expansion project.
V.	Energy Conservation measures	
1.	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	Noted, will be complied in due course.

2.	Practice hot charging of slabs and billets/blooms as far as possible.	Noted, will be complied in due course.
3.	Ensure installation of regenerative type burners on tall reheating furnaces.	Noted, will be complied in due course.
4.	Practice hot charging of slabs and billets/blooms as far as possible.	Noted, will be complied in due course.
5.	Ensure installation of regenerative type burners on all reheating furnaces.	Noted, will be complied in due course.
6.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Noted, will be complied in due course.
7.	Provide the project proponent of LEF lights in their offices and residential areas.	Being complied for existing coal based Sponge Iron plant. Noted for compliance in expansion project.
VI.	Waste management:	
1.	Used refractories shall be recycled as far as possible.	Being complied for existing coal based Sponge Iron plant. Noted for compliance in expansion project.
2.	Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.	Noted, will be complied in due course.
3.	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufactures for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	Noted, will be complied in due course.
4.	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Trans boundary Movement) Rules, 2016.	Being complied for existing coal based Sponge Iron plant. Noted for compliance in expansion project.
VII.	Green Belt:	
1.	Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Being complied in regular basis.
2.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programed for reduction of the same including carbon sequestration including plantation.	Noted, will be complied in due course.

VIII.	Public hearing and Human health issues :	
1.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Being complied for existing plant, noted for compliance in expansion project.
2.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	In sponge iron unit PPE is provided. The high temperature work zone of expansion unit will be complied in due course.
3.	Provision shall be made for the housing of construction labour within the site which all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the for of temporary structures to be removed after the completion of the project.	Noted for compliance in due course with start of the construction activities.
4.	Occupational health surveillance of the worker shall be done on a regular basis and records maintained as per the Factories Act.	Periodical health check-up are being carried and record are maintained on regular basis.
IX.	Corporate Environment Responsibility	
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Noted, will be complied in due course.
2	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper check and balances and to bring into focus any infringements / deviation/violation of the environmental / forest /wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildfire norms/conditions and/or shareholders/stake holders. The copy of the boards resolution in this regards shall be submitted to the MoEF & CC as a part of six monthly report.	The copy of the boards resolution is enclosed as Annexure - 4.
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Being complied.

4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	course.
5.	Self – environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Noted, will be complied in due course.
6.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the pants shall be implemented.	, 1

# X. MISCELLANEOUS:

1.	The project proponent shall make public the	Advertised in two local
	environmental clearance granted for their	newspapers of the District,
	project along with the environmental conditions	Prabhat Khabar and Danik
	and safeguards at their cost by prominently	Bhaskar published on
	advertising it at least in two local newspapers of	18/08/2019. Environmental
	the District or State, of which one shall be in	conditions and safeguards will
	the vernacular language within seven days and	be complied in due course.
	in addition this shall also be displayed in the	<u> </u>
	project proponent's website permanently.	web site <u>www.mccipl.in</u>

2.	The copies of the environmental clearance shall be submitted by the project proponents to the	Copy of environment clearance letter has been sent to the
	Heads of local bodies, Panchayats and	followings:-
	Municipal Bodies in addition to the relevant	1) The Member Secretary,
	offices of the Government who in turn has to	Jharkhand State
	display the same for 30 days from the date of receipt.	Tonation Control Board,
	receipt.	Ranchi, Jharkhand
		dated 12/08/2019.
		2) The Regional officer,
		Jharkhand State
		Pollution Control Board,
		Hazaribagh, Jharkhand
		dated 12/08/2019. 3) The District Industries
		Centre, District -
		Ramgarh, Jharkhand
		dated 10/08/2019.
		4) The Deputy
		Commissioner, District-
		Ramgarh, Jharkhand
		dated 12/08/2019.
		5) President, Ramgarh
		Nagar Parishad, District-
		Ramgarh, Jharkhand
		dated 22/08/2019.
3.	The project proponent shall upload the status	Noted, will be complied in due
	of compliance of the stipulated environment	course.
	clearance conditions, including results of monitored data on their website and update the	
	same on half-yearly basis.	
4.	The project proponent shall monitor the criteria	Being complied for existing
	pollutants level namely; PM10, SO2, NOx	plant, noted for compliance in
	(ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the	expansion project.  Display board has been
	projects and display the same at a convenient	displayed on main gate.
	location of disclosure to the public and put on	
_	the website of the company.	N . 1 . 1
5.	The project proponent shall submit six-monthly	Noted, being complied on regular basis.
	reports on the status of the compliance of the stipulated environmental conditions on the	regulai vasis.
	website of the ministry of Environment, Forest	
	and Climate Change at environment clearance	
6	portal.	Dainer committed for and the
6.	The project proponent shall submit the environmental statement for each financial year	Being complied for existing plant, noted for compliance in
	in Form-V to the concerned State Pollution	expansion project.
	Control Board as prescribed under the	Environment Statement Report
	Environment (Protection) Rules, 1986, as	has been uploaded on the
	amended subsequently and put on the website	company web site

	of the company.	www.mccipl.in
	of the company.	Environment Statement Report
		enclosed as <b>Annexure</b> -5.
7.	The project proponent shall inform the Regional	Noted, will be complied in due
′ ·	Office as well as the Ministry, the date of	course.
	financial closure and final approval of the	course.
	project by the concerned authorities,	
	commencing the land development work and	
	start of production operation by the project.	
8.	The project authorities must strictly adhere to	Noted.
	the stipulations made by the State Pollution	-1000
	Control Board and the State Government.	
9.	The project proponent shall abide by all the	Noted, will be complied in due
	commitments and recommendations made in	course.
	the EIA/EMP report, commitment made during	
	Public Hearing and also that during their	
	presentation to the Expert Appraisal	
	Committee.	
10.	No further expansion or modifications in the	Agree with.
	plant shall be carried out without prior	
	approval of the Ministry of Environment,	
	Forests and Climate Change (MoEF & CC).	
11.	Concealing factual data or submission of false /	Noted, will be complied in due
	fabricated data may result in revocation of this	course.
	environmental clearance and attract action	
	under the provisions of Environment	
1.0	(Protection) Act, 1986.	A
12.	The Ministry may revoke or suspend the	Agree with.
	clearance, if implementation of any of the above	
13.	conditions is not satisfactory.	A comp a
13.	The Ministry reserves the right to stipulate additional conditions if found necessary. The	Agree with.
	Company in a time bound manner shall	
	implement these conditions.	
14.	The Regional Office of this Ministry shall	Agree with
17.	monitor compliance of the stipulated	rigice with.
	conditions. The project authorities should	
	extend full cooperation to the officer(s) of the	
	Regional Office by furnishing the requisite data	
	/ information / monitoring reports.	
15.	The above conditions shall be enforced, inter-	Noted, will be complied in due
	alia under the provisions of the Water	course.
	(Prevention & Control of Pollution) Act, 1974,	
	the Air(Prevention & Control of Pollution) Act,	
	1981, the Environment (Protection) Act, 1986,	
	Hazardous and Other wastes(Management and	
	Tranbsounary Movement) Rules, 2016 and the	
	Public Liability Insurance Act, 1991 along with	
	their amendments and Rules and any other	
	order passed by the Hon'ble Supreme Court of	
	India/ High Courts and any other order passed	
	by the Hon'ble Supreme Court of India/High	
	Court and any other Court of Law relating to	

	the subject matter.	
16.	Any appeal against this EC shall lie with the	Noted.
	National Green Tribunal, if preferred, within a	
	period of 30 days as prescribed under Section	
	16 of the National Green Tribunal Act, 2010.	













#### FORMAT NO: ENV/FM/38

Name of the Industry	:	Maa Chhi	nnn	nastika Cement &	Ispat Pvt.	Ltd.		Type of Industry	:	Sponge Iron Plant			
Address	:	Vill. – Heł	al, l	P.O. – Barakakana	a, Ramgarl	ı, Dist. – Ramgarl		Sampling Date	:	22.10.2021	22.10.2021		
								Period of Analysis	:	24.10.2021	24.10.2021 - 24.10.2021		
								Date of Issue	:	26.10.2021			
Sampling Plan	n & 1	Procedure	:	ENV/SOP/01	Deviatio	n from the Sampl	ing	Method and Plan :	No	Type of	:	Stack	
										Sample		Emission	
Sample ID No		: 59/EC	/J/	M/Oct./A/I		Report No.	:	59/EC/J/M/Oct./TR(	A)/I	/21-22			

#### A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	:	Stack - 1 (Kiln No. 1 & 2 attached)				
Shape of Stack	:	Circular	Height of Stack (mtr.) (from	:	55	5.0
			G. L.)			
Materials of	:	M.S.	Stack I.D. at sampling point	:	1.	В
Construction			(mtr.)			
Capacity	:	100 TPD (each)	Height of sampling port	:	33	3.0
			(mtr.) (from G.L.)			
Emission Due to	:	Reduction of Iron Oxide				
Fuel Used	:	N.A.	Permanent Platform & Ladde	r	:	Yes
Working Fuel	:	Nil				
Consumption						
Pollution Control Device	:	E.S.P				

#### **B. RESULTS**

SL.	PARAMETERS	UNIT	METHOD NO.	-	RESULTS	LIMIT
NO.						
1.	Flue Gas Temperature	оС	IS: 11255 (Part 1)	:	230.0	N.A.
2.	Barometric Pressure	mm of Hg.	-	:	758.0	N.A.
3.	Velocity of Gas flow	m/s	IS: 11255 (Part 3)	. : -	11.52	N.A.
4.	Quantity of Gas flow	Nm³/hr.	IS: 11255 (Part III)		60999.5	N.A.
5.	Concentration of SO <sub>2</sub>	mg/Nm <sup>3</sup>	IS 11255 (Part 2) 1985 RA 2003		710.50	N.A.
5.	Concentration of NO <sub>x</sub>	mg/Nm³	IS: 11255 (Part 7) 2005 & ASTM D 1608-98 reapproved 2009: Sec. 11 (Vol. 11.07): 2011	÷	189.20	N.A.
7.	Concentration of CO <sub>2</sub>	% (v/v)	IS 13270 1992 RA 2003		7.4	N.A.
В.	Concentration of CO	%(v/v)	IS 13270 1992 RA 2003	:	<1.0	1.0
9.	Concentration of Particulate Matter	mg/Nm³	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11	:	32.50	100.0

Remarks : Limit as per MoEF, New Delhi the 30th May, 2008.

: N.A. means Not Available.

Reviewed By:

30 control

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

Hard

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792891 / 25497490 = Fax : 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792889

E-mail : info@envirocheck.org /envirocheck50@gmail.com = Website : www.envirocheck.org Branch Office : Siliguri = Haldia = Durgapur = Dhanbad = Gangtok = Port Blair = Dehradun = New Delhi











#### FORMAT NO: ENV/FM/38

Name of the Industry	:	Maa Chhi	nnn	nastika Cement &	Ispat Pvt.	Ltd.		Type of Industry	:	Sponge Iron Plant			
Address	:	Vill. – Hel	ıal, İ	P.O. – Barakakana	a, Ramgarl	ı, Dist. – Ramgarl	l	Sampling Date	:	22.10.2021	22.10.2021		
							Ī	Period of Analysis	:	24.10.2021	24.10.2021 - 24.10.2021		
							Ī	Date of Issue	:	26.10.2021			
Sampling Plan	n & 1	Procedure	:	ENV/SOP/01	Deviatio	n from the Sampl	ing	Method and Plan :	No	Type of	:	Stack	
										Sample		Emission	
Sample ID No		: 59/E0	:/J/	M/Oct./A/II		Report No.	:	59/EC/J/M/Oct./TR(	(A)/	II/21-22			

#### A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	:	Stack - 2 (Kiln No. 3 attached)				
Shape of Stack	:	Circular	Height of Stack (mtr.) (from	:	55	5.0
			G. L.)			
Materials of	:	M.S.	Stack I.D. at sampling point	:	1.8	3
Construction			(mtr.)			
Capacity	:	100 TPD	Height of sampling port	:	33	3.0
			(mtr.) (from G.L.)			
Emission Due to	:	Reduction of Iron Oxide				
Fuel Used	:	N.A.	Permanent Platform & Ladden	r	:	Yes
Working Fuel	:	Nil				
Consumption						
Pollution Control Device	:	E.S.P				

#### **B. RESULTS**

SL.	PARAMETERS	UNIT	METHOD NO.		RESULTS	LIMIT
NO.						
1.	Flue Gas Temperature	оС	IS: 11255 (Part 1)	:	220.0	N.A.
2.	Barometric Pressure	mm of Hg.	-		758.0	N.A.
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	:	12.60	N.A.
4.	Quantity of Gas flow	Nm³/hr.	IS: 11255 (Part III)		68071.51	N.A.
5.	Concentration of SO <sub>2</sub>	mg/Nm <sup>3</sup>	IS 11255 (Part 2) 1985 RA 2003	:	710.0	N.A.
6.	Concentration of NO <sub>x</sub>	mg/Nm <sup>3</sup>	IS: 11255 (Part 7) 2005 & ASTM D 1608-98	- :	186.50	N.A.
			reapproved 2009 : Sec. 11 (Vol. 11.07) : 2011			
7.	Concentration of CO <sub>2</sub>	% (v/v)	IS 13270 1992 RA 2003	:	7.2	N.A.
8.	Concentration of CO	%(v/v)	IS 13270 1992 RA 2003	:	<1.0	1.0
9.	Concentration of	mg/Nm <sup>3</sup>	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D	:	36.80	100.0
	Particulate Matter		3685/D 3685M-98 (reapproved 2005) : Sec. 11			
			(Vol. 3 11.07): 2011			

Remarks : Limit as per MoEF, New Delhi the 30th May, 2008.

: N.A. means Not Available.

Reviewed By:

Below

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

Hand

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792891 / 25497490 = Fax : 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 - Ph. 033 25792889

E-mail : info@envirocheck.org /envirocheck50@gmail.com = Website : www.envirocheck.org Branch Office : Siliguri = Haldia = Durgapur = Dhanbad = Gangtok = Port Blair = Dehradun = New Delhi













#### FORMAT NO: ENV/FM/37

Name of the	:	Maa Chhir	nm	astika Cement &	Ispat Pvt.	Ltd.		Type of Industry		:	Sponge Iron	ı Pla	ant
Industry													
Address	:	Vill. – Heh	al, P	.0. – Barakakana	a, Ramgarh	ı, Dist. – Ramgarh		Sampling Date		:	22.10.2021	- 2	3.10.2021
						Ī	Period of Analysis		:	24.10.2021	- 2	4.10.2021	
							Ī	Date of Issue		:	26.10.2021		
Sampling Plar	ı &	Procedure	:	ENV/SOP/01	Deviatio	n from the Sampl	ng	Method and Plan	:	No	Type of	:	Ambient Air
				,		·	·				Sample		
Sample ID No.		· 59/EC	/I /N	A/Oct /A/III		Report No		59/EC/I/M/Oct /1	ΓRſ	A)/II	1/21-22		

A] GENERAL INFORMATION

1. Location of Sampling : Near Main Gate

2. Duration of Sampling : 24 hrs. (09:00 a.m. – 09:00 a.m.)

B] METEOROLOGICAL INFORMATION

Average Temperature (°C) : 32.5
 Average Relative Humidity (%) : 48.0
 Barometric Pressure (mm of Hg) : 756.0

4. Smell or Odour : No Remarkable Smell

5. Weather Condition : Clear sky

#### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM <sub>2.5</sub>	μg/m³	USEPA 1997a, 40 CFR Part 50, Appendix L	48.20	60.0
2.	Concentration of $PM_{10}$	μg/m³	IS 5182 (PART 23) : 2006	92.50	100.0
3.	Concentration of SO <sub>2</sub>	μg/m³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007:	9.25	80.0
			Sec. 11 (Vol. 11.07) : 2011		
4.	Concentration of NO2	μg/m³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005:	32.50	80.0
			Sec. 11 (Vol. 11.07) : 2011		

narks: National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.

Reviewed By:

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

Kon

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792891 / 25497490 = Fax: 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 Ph. 033 25792889

E-mail : info@envirocheck.org /envirocheck50@gmail.com = Website : www.envirocheck.org Branch Office : Siliguri = Haldia = Durgapur = Dhanbad = Gangtok = Port Blair = Dehradun = New Delhi











#### FORMAT NO: ENV/FM/57

Name of Industry	ustry					: Ispat Pvt. Ltd.			Type of Industry	:	Sponge Iron Plant
Address		:	Vill Heh	al, P	.O. – Barakakana	a, Ramgarh, Dist. – Ramgarh			Sampling Date	:	22.10.2021
									Period of Analysis	:	24.10.2021 - 24.10.2021
									Date of Issue	:	26.10.2021
Sampling	ampling Plan & Procedure : ENV/SOP/0							from the Samplin	g Method and Plan :	No	Type of : Work Zone Sample
Sample I	D No.		: 59/EC,	/J/N	1/Oct./A/IV			Report No. :	59/EC/J/M/Oct./TR(A	)/IV	V/21-22
A] <u>G</u>	ENERA	AL II	NFORMATIO	N							
1. L	ocatio	n c	of Sampling					Near Raw Materi	al Handling Area	ı İ.	
2. D	uratio	on o	of Sampling	5		:		08 hrs. (09:30 a.ı	m. – 05:30 p.m.)	() P	
B] <u>M</u>	ETEO	ROL	OGICAL INF	ORN	1ATION						
1. A	verag	е Т	emperatur	e (º	C)	:		48.5			
2. A	verag	e R	elative Hur	nid	ity (%)			46.0			

#### **C**1 RESULTS

Smell or Odour

3.

4.

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of SPM	μg/m³	NIOSH 0500 : 1994	490.0	5000.0

: No Remarkable Smell

: 756.0

Remarks : Limit as per MoEF, New Delhi the 30th May, 2008

Barometric Pressure (mm of Hg)

Reviewed By:

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792891 / 25497490 = Fax: 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 - Ph. 033 25792889

E-mail : info@envirocheck.org /envirocheck50@gmail.com = Website : www.envirocheck.org Branch Office : Siliguri = Haldia = Durgapur = Dhanbad = Gangtok = Port Blair = Dehradun = New Delhi

: UAE . Qatar . Netherlands Overseas









#### FORMAT NO: ENV/FM/57

Name of the	:	Maa Chhin	nm	astika Cement &	Ispat Pvt. l	Ltd.		Type of Industry		:	Sponge Iro	n Pla	ant
Industry													
Address	:	Vill. – Heh	al, P	.O. – Barakakana	, Ramgarh	, Dist. – Ramgar	ı	Sampling Date		:	22.10.2021		
							Period of Analysis	of Analysis : 24.10.2021 – 24.10			4.10.2021		
						Date of Issue		:	26.10.2021				
Sampling Plan	ı & :	Procedure	:	ENV/SOP/01	Deviation	from the Samp	ing	Method and Plan	:	No	Type of	:	Work Zone
											Sample		
Sample ID No.		: 59/EC	/J/N	//Oct./A/IV		Report No.	:	59/EC/J/M/Oct./	TR(A	)/I\	7/21-22		

A] GENERAL INFORMATION

Location of Sampling
 Near Raw Material Handling Area
 Duration of Sampling
 08 hrs. (09:30 a.m. – 05:30 p.m.)

B] METEOROLOGICAL INFORMATION

Average Temperature (°C) : 48.0
 Average Relative Humidity (%) : 45.0
 Barometric Pressure (mm of Hg) : 756.0

4. Smell or Odour : No Remarkable Smell

#### C] RESULTS

SL.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of RPM	μg/m³	IS 5182 (PART 23) : 2006	162.50	N.A.
2.	Concentration of SO <sub>2</sub>	μg/m³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007:	12.50	N.A.
			Sec. 11 (Vol. 11.07) : 2011		
3.	Concentration of NO <sub>2</sub>	μg/m³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005:	32.80	N.A.
			Sec. 11 (Vol. 11.07) : 2011		

Remarks : N.A. means Not Available.

Reviewed By:

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

House

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141

Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889

Email: info@envirocheck.org /envirocheck50@gmail.com / Website: www.envirocheck.org

Branch Office: \* Siliguri \* Haldia \* Durgapur \* Dhanbad \* Gangtok \* Port Blair \* Dehradun \* New Delhi











#### FORMAT NO: ENV/FM/57

Name of the Industry : Maa Chhinnmastika Cement &				Ispat F	vt.	Ltd.	Type of Industry	:	Sponge Iron Plant			
Address : Vill. – Hehal, P.O. – Barakakana,					.O. – Barakakan	a, Ramg	garl	ı, Dist. – Ramgarh	Sampling Date	:	22.10.2021	
				,		,		,	Period of Analysis	:	24.10.2021 - 24.10.2021	
									Date of Issue	:	26.10.2021	
Samp	ling Plar	n &	Procedure	:	ENV/SOP/01	Devia	atio	n from the Samplin	g Method and Plan :	No	Type of : Work Zone Sample	
Samp	le ID No	١.	: 59/EC	/J/N	1/0ct./A/V			Report No. :	59/EC/J/M/Oct./TR(A	4)/V	7/21-22	
A]	GENER	AL 1	INFORMATIO	<u> </u>								
1.	Locati	on	of Sampling	3			: Near Product Handling Area					
2.	Durati	ion	of Samplin	g			: 08 hrs. (10:30 a.m. – 06:30 p.m.)					
B]	METEO	ORO	LOGICAL INI	ORN	1ATION			7///				
1.	Avera	ge T	Γemperatu	re (º	C)		:	32.5				
2.	Avera	ge I	Relative Hu	mid	ity (%)		:	49.0				
3.	Baron	netr	ic Pressure	e (m	m of Hg)	: 756.0						
4.	Smell or Odour						: No Remarkable Smell					
C]	RESULT	<u>rs</u>			DA.				1		1	
SL.	PA	ARA	METERS		UNIT			METHOD NO	О.		RESULTS LIMIT	

NIOSH 0500: 1994

Remarks : Limit as per MoEF, New Delhi the 30th May, 2008.

Reviewed By:

Concentration of SPM

NO.

1.

(Durbadal Chakraborty, Dy. Quality Manager)

 $\mu g/m^3$ 

Approved By:

Harry

(Dr. Ajoy Paul, Quality Manager)

492.0

5000.0

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792891 / 25497490 = Fax : 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 = Ph. 033 25792889

E-mail : info@envirocheck.org/envirocheck50@gmail.com = Website : www.envirocheck.org Branch Office : Siliguri = Haldia = Durgapur = Dhanbad = Gangtok = Port Blair = Dehradun = New Delhi









#### FORMAT NO: ENV/FM/57

Name of the	:	Maa Chhin	Maa Chhinnmastika Cement & Ispat Pvt. Ltd.				Type of Industry		:	Sponge Iron	n Pla	ant
Industry												
Address	:	Vill. – Heh	Vill. – Hehal, P.O. – Barakakana, Ramgarh, Dist. – Ramgarh				Sampling Date		:	: 22.10.2021		
							Period of Analysis	Period of Analysis :		24.10.2021 - 24.10.2021		4.10.2021
			·				Date of Issue		:	26.10.2021		
Sampling Plan	ı &	Procedure	:	ENV/SOP/01	Deviatio	n from the Samplin	g Method and Plan	:	No	Type of	:	Work Zone
										Sample		
Sample ID No	Sample ID No. : 59/EC/J/M/Oct./A/V Report No. : 59/EC/J/M/Oct./TR(A)/V/21-22											

A] GENERAL INFORMATION

Location of Sampling
 Near Product Handling Area
 Duration of Sampling
 08 hrs. (10:30 a.m. - 06:30 p.m.)

B] METEOROLOGICAL INFORMATION

Average Temperature (°C) : 32.0
 Average Relative Humidity (%) : 48.0
 Barometric Pressure (mm of Hg) : 756.0

4. Smell or Odour : No Remarkable Smell

#### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of RPM	μg/m³	IS 5182 (PART 23) : 2006	168.50	N.A.
2.	Concentration of SO <sub>2</sub>	μg/m³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007:	9.20	N.A.
			Sec. 11 (Vol. 11.07) : 2011		
3.	Concentration of NO <sub>2</sub>	μg/m³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005:	31.50	N.A.
			Sec. 11 (Vol. 11.07) : 2011		

Remarks : N.A. means Not Available.

Reviewed By:

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By:

House

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141

Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889

Email: info@envirocheck.org /envirocheck50@gmail.com / Website: www.envirocheck.org

Branch Office: - Siliguri - Haldia - Durgapur - Dhanbad - Gangtok - Port Blair - Dehradun - New Delhi













FORMAT NO.: ENV/FM/58

#### **TEST REPORT**

1.	Name of the Industry	:	Maa Chhinnmastika Cement & Ispat Pvt. Ltd.
2.	Address	:	Vill Hehal, P.O Barakakana, Ramgarh, Dist Ramgarh
3.	Type of Industry	:	Sponge Iron Plant
4.	Sampling Plan & Procedure	:	ENV/SOP/01
5.	Deviation from the Sampling Method & Plan	:	No
6.	Type of Sample	:	Noise
7.	Sample ID	:	ENV/52A/J/N
8.	Report ID	:	ENV/52A/J/TR(N)/21-22
9.	Date of Study	:	22.10.2021
10.	Reporting Date	:	26.10.2021
11.	Method No.	:	IS: 9989 - 1981
12.	Time of Duration of Noise	:	20 Minutes
13.	Height from Ground Level	-	4 feet

		RESULT OF N	NOISE LEVEL STUDY	
1.	Location of Study	,	: Near Main Gate (Day Time	e)
	Time	Minimum	Maximum	Leq
	(A.M)	dB(A)	dB(A)	dB(A)
	09:00 - 09:20	68.2	73.5	72.16
1.	Location of Study	,	: Near Main Gate (Night Tin	ne)
	Time	Minimum	Maximum	Leq
	(P.M)	dB(A)	dB(A)	dB(A)
	10:00 - 10:20	55.6	59.1	57.25
3.	Location of Study	: Near Ka	nta Room (Day Time)	
	Time	Minimum	Maximum	Leq
	(A.M)	dB(A)	dB(A)	dB(A)
	10:10 - 10:30	63.5	71.6	67.23
3.	Location of Study	: Near Ka	nta Room (Night Time)	
	Time	Minimum	Maximum	Leq
	(P.M)	dB(A)	dB(A)	dB(A)
	10:30 - 10:50	52.8	57.1	54.14
5.	Location of Study		ore Room (Day Time)	
	Time	Minimum	Maximum	Leq
	(A.M)	dB(A)	dB(A)	dB(A)
	10:10 - 10:30	60.1	71.5	67.21

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141

Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889

: info@envirocheck.org /envirocheck50@gmail.com / Website : www.envirocheck.org

Branch Office: - Siliguri - Haldia - Durgapur - Dhanbad - Gangtok - Port Blair - Dehradun - New Delhi













5.	Location of Study	: Near St	ore Room (Night Time)	
	Time	Minimum	Maximum	Leq
	(P.M)	dB(A)	dB(A)	dB(A)
	11:10 - 11:30	52.4	56.7	53.11

** Mean of L <sub>eq</sub> - Equivalent to Sound Energy									
Limit in Leq dB(A)									
Category Area	Day Time dB(A)	Night Time dB(A)							
A. Industrial Area	75	70							
B. Commercial Area	65	55							
C. Residential Area	55	45							
D. Silence Zone	50	40							

**Day Time is reckoned in between	**Night Time is reckoned in between		
6:00 A.M & 10:00 P.M	10:00 P.M & 6:00 A.M		
(Central Pollution Control Board, Ministry of Environment & Forests Government of India) &			
(Department of Environment	t, Government of West Bengal)		
PERMISSIBLE NOISE EXPOSUR	RE FOR INDUSTRIAL WORKERS		
Hours	Limit in dB(A)		
8	90		
4	93		
2	96		
1	99		
1/2	102		
1/4	105		
1/8	108		
1/16	111		
1/32	114		
(2 minutes or less)			

Reviewed By:

(DurbadalChakraborty, Dy. Quality Manager)

Approved By:

(Dr. Ajoy Paul, Quality Manager)

>End of Report<

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141

Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889

: info@envirocheck.org /envirocheck50@gmail.com / Website : www.envirocheck.org

Branch Office: - Siliguri - Haldia - Durgapur - Dhanbad - Gangtok - Port Blair - Dehradun - New Delhi

: • UAE • Qatar • Netherlands

# MAA CHHINNMASTIKA CEMENT AND ISPAT PRIVATE LIMITED

Registered Office & Works:

At- Hehal, Post - Barkakana - 829103, Dist.- Ramgarh (Jharkhand)
CIN: U26941JH2004PTC010665
ramgarh jh@rediffmail.com

Olc

MCCIPL/626/2019-20

02/01/2020

To

The Member Secretary.

Jharkhand State Pollution Control Board, T.A. Division Building (Ground Floor), H.E.C., Dhurwa, Ranchi – 834004 Jharkhand

Sub: Regarding installation, commissioning and data transmission to Jharkhand State Pollution Control Board URL server of Online Continuous Ambient Air Quality Monitoring Station (CAAQMS) for PM 10 parameter.

Ref: Your letter no B-19, Dated 28/02/2019.

Respected Sir,

Kindly refer to above, we would like to inform your good self that online Continuous Ambient Air Quality Monitoring Station for PM 10 parameter are installed by M/s Environment SA India Pvt. Ltd., Navi Mumbai and it is connected online with Jharkhand State Pollution Control Board URL sever on 02/01/2020.

The location co-ordinate of CAAQMS for PM 10 parameter is given below:-

Sr. No.	CAAQMS location	CAAQMS location Co-ordinate
1	Near Store office area	Lat - 23°37'14 (N)
		Long – 85°28'40 (E)

This is for your information.

Thanking you.

Yours faithfully,

For Maa Chhinnmastika Cement & Ispat Pvt. Ltd.

**Authorized Signatory** 

Cc to: - Regional Officer, Regional Office, State Pollution Control Board, Hazaribagh (Jharkhand)

Encl.:- PM 10 analyser photograph.

RZZAZYS/646IN IUR:8274242YS/646 RL RATEGER CANTT H.O (829122) Counter No:2,02/01/2020,14:57 TO:REGIOVAL OFFICER,05FCR HZB PIN:825301, Hazaribagh H.O From:NGA CHINNAN,RATEGER

Wt:2Applis Amta22.00(Eash)

# Maa Chhinnmastika Cement & Ispat Pvt Ltd

PM 10 Analyser



U2012020

# Maa Chhinnmastika Cement & Ispat Pvt Ltd.

# Stack emission Report (PM All values in mg/Nm3)

Sl. No.	Month	Stack 1	Stack 2
		PM	PM
1	April,21	87	90
2	May,21	89	88
3	June,21	90	92
4	July,21	91	89
5	Aug,21	87	90
6	September,21	90	89

# **Ambient Air Quality Monitoring**

Location	Parameters	Unit	April-21	May-21	June-21	July-21	Aug-21	Sep-21
Nr. Main Gate	PM 10		85	91	90	92	90	89
	PM 2.5		57	49	55	56	52	54
Nr. OHC	PM 10		88	87	92	89	92	91
	PM 2.5	μg/m3	56	52	56	57	54	51
Nr. North-west	PM 10		93	87	90	88	89	92
boundary wall	PM 2.5		51	57	56	54	55	52

# **Online Ambient Air Quality Monitoring Data (PM10)**

Location	Unit	April-21	May-21	June-21	July-21	Aug-21	Sep-21
Nr.	μg/m3	40	21	22	47	61	79
Temple							

# MAA CHHINNMASTIKA CEMENT AND ISPAT PRIVATE LIMITED

Registered Office & Works:

At - Hahal, Post - Barkakana - 829103, Dist.- Ramgarh (Jharkhand)
ramgarh\_jh@rediffmail.com

EXTRACT OF THE MINUTE OF THE MEETING OF BOARD OF DIRECTORS OF M/S MAA CHHINNMASTIKA CEMENT & ISPAT PRIVATE LIMITED HELD ON THURSDAY 15<sup>th</sup> DAY OF FEBRUARY 2018 AT 02:30 P.M AT REGISTERED OFFICE OF THE COMPANY


The Chairman informed the board a healthy and sustainable environment is important to our citizen, our economy & our future. Based on the principle of managing environment resources for the benefit & enjoyment of both current & future generation, the board decided to frame and adopt an Environmental Policy. After due deliberation following resolutions was passed in this regard:-

"RESOLVED THAT" the board hereby adopts the Environmental Policy (as discussed below). The mission of MCCIPL is to produce Steel & Steel product in an environment friendly manner and is strive to;

- Integrate sound environmental management practices in all our activities
- Conduct our operations in environmentally responsible manner to minimize pollution and its' impact on environment
- Comply with applicable legal and other requirements related to environmental aspects
  of our operations and strive to go beyond. The environment management cell will be
  headed by EHS Manager, a well qualified and experienced environment engineer.
- MCCIPL shall ensure that deviations from this policy and cases of violations/non-compliances of Environment or Forest Laws, if any, shall be reported to the Board of Directors through EHS Manager and shall identify designate responsible person for ensuring compliance with the Environmental Laws and Regulations.
- Conserve energy, and other natural resources, minimize waste generation and promote recovery, recycle and reuse.
- Increase greenery in and around the plant.
- Ensure continual improvement in environmental performance by setting & reviewing objectives & targets.
- Encourage environmental awareness amongst employees working for and on behalf of MCCIPL and the general populace around the plant.

### Hierarchical systems - environmental issues and for ensuring compliance

Company EHS cell is responsible for the compliance of the environmental conditions. The Environmental Manager will functionally report to Director (Operation), and the environmental matters are placed to the Board of Directors through Director (Operation).



"RESOLVED FURTHER THAT Mr. Parashuram Singh of the Company be and is hereby severally authorized to make, sign and execute on behalf of the Company such all necessary document required in framing & adoption of "Environment Policy."

"RESOLVED FURTHER THAT the Board be and is hereby recommended to adopt Environment Policy, as the draft placed before the board, initiated by the chairman for the sake of identification".

Date: 15/02/2018

ALOK RUNGTA

(Director)

DIN: 01596258

# MAA CHHINNMASTIKA CEMENT AND ISPAT PRIVATE LIMITED

Registered Office & Works:

At- Hehal, Post - Barkakana - 829103, Dist.- Ramgarh (Jharkhand)

CIN:U26941JH2004PTC010665 ramgarh jh@rediffmail.com

cementispat@rediffmail.com ramgarh\_jh@rediffmail.com

#### MCCIPL/041/2021-22

de

21/09/2021

To, The Member Secretary, Jharkhand State Pollution Control Board, HEC Campus, TA Division Building, Durwa, Ranchi - 834 004. Jharkhand

Sub: Submission of Environmental Statement Report from the period of April 2020 to March 2021 for our Coal based Sponge Iron.

Ref.:- CTO Ref. No. - JSPCB/HO/RNC/CTO-2204067/2018/958, Dated 06/06/18.

Dear Sir,

With reference to the above, we are enclosing herewith the Environmental Statement Report for the period from April 2020 to March 2021 of our Sponge Iron.

Please find above in order and do the needful.

Thanking you,

Yours faithfully,

For MAA CHHINNMASTIKA CEMENT & ISPAT PVT.LTD.

Manoj Kumar

Manager (Environment)

Encl: As above.

CC to: - The Regional Officer, Regional Office, State Pollution Control Board, Hazaribagh (Jharkhand)

EJ831594751IN IVR:6974831594751 SP RAMBARH S.D (RAMBARH) (829122) Counter No:1,23/09/2021;11:44

शास्त्रीय डाक India

To:THE REGIONAL OFFICER, HAZARIBAS PIN:825301, Hazaribagh HO From:MAA CHHINNM, BARKAKANA NTS

From:MAA CHHINAM,BARKAKANA M Wt:20gms

Amt:41.30(Cash)Tax:6.30 <Track on www.indiapost.gov.in> <Dial 18002666868> (Wear Masks, Stay Safe> Bodit ROLLUTION OF THE POLITION OF THE POLITICAL STATES OF THE POLITICAL STATE

# ENVIRONMENTAL STATEMENT Maa Chhinnmastika Cement & Ispat Pvt. Ltd. Period from: April 2020 to March 2021

# $\frac{FORM - V}{PART - A}$

1.	Name and address of the Owner / Occupier of the Industry operation or process	Maa Chhinnmastika Cement & Ispat Pvt. Ltd. Occupier name – Santosh Kumar Gupta Village – Hehal, P.O – Barkakana, Dist. – Ramgarh, Jharkhand – 829103	
2.	Industry Category Primary (S.T.C. Code) Secondary (S.T.C. Code)	Red Category	
3.	Production Capacity	Sponge Iron – 300 TPD	
4.	Year of Establishment	02.06.2004	
5.	Date of the last Environmental Statement Submitted	18/09/2020	

# $\frac{PART-B}{WATER\ AND\ RAW\ MATERIAL\ CONSUMPTION}$

# (I) Water consumption in m3/day:

Process & Cooling

159.32 m3/day

Domestic

4.93 m3/day

	Process Water Consumption per Unit of Product Output			
Name of Product	During Previous Financial Year (2019-20)	During Current Financial Year (2020-21)		
Sponge Iron	1.0017	0.9215		

# (II) RAW MATERIAL CONSUMPTION:

Name of Raw Material	Name of Product	Consumption of Raw Material Per Unit of Output	
		During Current Financial Year (2019-20)	During Current Financial Year (2020-21)
Iron ore/Iron Ore Pellets	1	2.456	2.108
Coal	Sponge Iron	1.048	1.242
Dolomite		0.039	0.089

# (III) POWER CONSUPTION (KWH/MT of Sponge Iron):

During Previous Financial Year (2019-20)	During Current Financial Year (2020-21)	
51.576	61.631	



# (IV) TOTAL PRODUCTION (MT):

During Previous Financial Year	During Current Financial Year	
(2019-20)	(2020-21)	
83,778.00	63,108.00	

# PART - C

# DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT

Pollutants	Quantity of Pollutants Discharged	Concentration of Pollutants in Discharge (Mass/Valume)	Percentage of variation from prescribed standard with reasons
	(Mass/Day)		
(a) Water	<ul> <li>No industrial effluent is generated. In compliance to Zero Liquid Discharge (ZLD), the web camera and flow meter are installed with online monitoring facilities.</li> <li>The waste water generated from the office toilet and mess has been discharged via septic tank and soak pits.</li> </ul>		
(b) Air	with CPCB	Ambient Air Quality Monitoring System (CAAQMS) PM 10	

# PART - D

# **HAZARDOUS WASTE**

(As specified under Hazardous Wastes (Management, Handling & Trans boundary Movement Rule, 2010)

Hazardous	Total Quantity (Ltrs.)		
Waste	During Current	During Current	
	Financial Year	Financial Year	
	(2019-20)	(2020-21)	
a)From Process	Used gear oil and lubricant are	1	
	stored in drum and used in	The state of the s	
	different Chain Drive within		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	plant campus.	plant campus.	
	Hazardous waste authorization	Hazardous waste authorization	
e e	issued vide letter no JSPCB /	issued vide letter no JSPCB /	
	HO / RNC / HWM-1692559	The second secon	
¥	/2018/25 dated 14/06/2018 valid	are to reaction to the control of th	
1 100	up to 30/09/2022.	up to 30/09/2022.	
(b) From Pollution Control	W.		
Facilities	Not applicable	Not applicable	
6 25 V	9	b	



#### PART - E

#### SOLID WASTE

		Total Quantity (MT)			
		During Previous Financial Year (2019-20)	During Current Financial Year (2020-21)		
(a)	From Process				
	1) Dolachar (Coal Chai)	56771.00	43603.080		
(b)	From Pollution Control Facility	Nil	Nil ~		
(c)	Quantity recycled or re- utilized within the unit				
	1) Sold	50779.74	23116.61		
	2) Dispose	Nil	Nil		

### PART - F

# <u>Please specify the characterization (in terms of composition and quantum) of hazardous as</u> well as solid wastes and indicate disposal practice adopted for both the categories of wastes.

- Used gear oil and lubricant are stored in drum and used in different Chain Drive within plant campus.
- Coal Char (Chhai), the solid waste generated in process are being sold at present, the earlier stock of coal char are also being sold as per demand.

#### PART - G

# Impact Of The Pollution Control Measures on Conservation of Natural Resources And Consequently On The Cost Of Production

- Unit has 3X100 TPD Sponge Iron kilns, installed three numbers of ESP attached to each kiln stack to control stack emission.
- Unit has installed seven numbers of bag filters at various material transfer points to control fugitive emissions.
- Unit has installed one hundred five numbers of water sprinklers at various places within plant premises to control dust emission / fugitive emission from haul roads.
- All conveyor belts are covered with M.S.Plate.
- All raw materials are kept in covered shed.

#### PART – H

# <u>Additional Measures/Investments Proposal for Environment Protection Including Abatement</u> of Pollution

• Plantation are done surrounding the boundary wall area and road side within campus. We are also doing support for plantation in nearby village during rainy season every year. New plantations are also made every year in the plant during rainy season.

400

Page 3 of 4

• EC issued vide letter no F.No.J-11011/215/2016-IA.II(I)dated – 07<sup>th</sup> August, 2019.

• CTE issued vide letter no. JSPCB/HO/RNC/CTE-6089357/2020/366 dt 24.09.2020 from JSPCB. Project work is going on.

### PART - I

# Any other particulates for improving the quality of environment

- Unit has installed two numbers of online Continuous Emission Monitoring System (CEMS) for measurement of particulate matter (PM) & SO<sub>2</sub>.
- The web camera & flow meter has installed with online monitoring facilities.
- Continuous Ambient Air Quality Monitoring System (CAAQMS) PM 10 parameter is installed with online monitoring facilities.
- Data of CEMS, Camera & flow meter are continuously updated on CPCB & SPCB server.
- 6 numbers of CCTV cameras has been installed within plant premises to monitor the operationalization status of Air pollution Control Devices.

